

Wabash County, Indiana  
Table A.--Acreage and Proportionate Extent of the Soils

04/08/2002

Map symbol	Soil name	Acres	Percent
BaA	Blount silt loam, 0 to 2 percent slopes-----	3,600	1.3
BaB2	Blount silt loam, 1 to 4 percent slopes, eroded-----	29,964	11.1
Br	Brookston loam-----	7,900	2.9
ChC	Chelsea fine sand, 4 to 15 percent slopes-----	430	0.2
CrA	Crosby silt loam, 0 to 3 percent slopes-----	9,200	3.4
CsA	Crosier loam, 0 to 3 percent slopes-----	4,450	1.7
Cy	Cyclone silt loam-----	16,050	6.0
FnA	Fincastle silt loam, 0 to 2 percent slopes-----	16,100	6.0
FsA	Fox loam, 0 to 2 percent slopes-----	1,800	0.7
FsB2	Fox loam, 2 to 6 percent slopes, eroded-----	1,550	0.6
FsC2	Fox loam, 6 to 12 percent slopes, eroded-----	840	0.3
FsD2	Fox loam, 12 to 20 percent slopes, eroded-----	420	0.2
FtC3	Fox clay loam, 6 to 12 percent slopes, severely eroded-----	750	0.3
FtD3	Fox clay loam, 12 to 18 percent slopes, severely eroded-----	520	0.2
Ge	Genesee loam, occasionally flooded-----	6,300	2.3
GnB2	Glynwood silt loam, 4 to 7 percent slopes, eroded-----	21,650	8.0
GoC3	Glynwood clay loam, 5 to 12 percent slopes, severely eroded-----	12,200	4.5
HaA	Haskins loam, 0 to 3 percent slopes-----	5,200	1.9
HeG	Hennepin loam, 25 to 50 percent slopes-----	3,500	1.3
Ho	Homer loam-----	1,230	0.5
Ht	Houghton muck, undrained-----	970	0.4
Hx	Houghton muck, drained-----	850	0.3
KaA	Kalamazoo sandy loam, 0 to 2 percent slopes-----	2,100	0.8
KaB	Kalamazoo sandy loam, 2 to 6 percent slopes-----	1,250	0.5
KsA	Kosciusko sandy loam, 0 to 2 percent slopes-----	990	0.4
KsB	Kosciusko sandy loam, 2 to 6 percent slopes-----	1,650	0.6
KsC	Kosciusko sandy loam, 6 to 12 percent slopes-----	460	0.2
MbA	Martinsville loam, 0 to 2 percent slopes-----	1,700	0.6
MbB	Martinsville loam, 2 to 6 percent slopes-----	1,950	0.7
MbC2	Martinsville loam, 6 to 12 percent slopes, eroded-----	750	0.3
Md	Martisco muck, sandy substratum-----	200	*
MeB	Metea loamy sand, 2 to 6 percent slopes-----	450	0.2
MeC	Metea loamy sand, 6 to 12 percent slopes-----	170	*
MfB2	Miami loam, 2 to 6 percent slopes, eroded-----	3,650	1.4
MfC2	Miami loam, 6 to 12 percent slopes, eroded-----	1,550	0.6
MfD2	Miami loam, 12 to 18 percent slopes, eroded-----	1,950	0.7
MfE2	Miami loam, 18 to 25 percent slopes, eroded-----	610	0.2
MhB2	Miami silt loam, 2 to 6 percent slopes, eroded-----	8,100	3.0
MhC2	Miami silt loam, 6 to 12 percent slopes, eroded-----	2,600	1.0
MkC3	Miami clay loam, 6 to 12 percent slopes, severely eroded-----	2,800	1.0
MkD3	Miami clay loam, 12 to 25 percent slopes, severely eroded-----	1,100	0.4
MlC3	Miami clay loam, moderately permeable substratum, 6 to 12 percent slopes, severely eroded-----	1,750	0.6
Mm	Milford silty clay loam-----	1,700	0.6
Mp	Millsdale silty clay loam-----	240	*
MsA	Milton silt loam, 0 to 2 percent slopes-----	1,800	0.7

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
MsB2	Milton silt loam, 2 to 6 percent slopes, eroded-----	1,300	0.5
MsC2	Milton silt loam, 6 to 12 percent slopes, eroded-----	550	0.2
MtG	Milton variant silt loam, 30 to 70 percent slopes-----	900	0.3
MvC2	Morley silt loam, 7 to 12 percent slopes, eroded-----	3,000	1.1
MvD2	Morley silt loam, 12 to 18 percent slopes, eroded-----	850	0.3
MvE2	Morley silt loam, 18 to 25 percent slopes, eroded-----	270	0.1
MxD3	Morley clay loam, 12 to 25 percent slopes, severely eroded-----	2,150	0.8
OcA	Ockley loam, 0 to 2 percent slopes-----	4,150	1.5
OcB2	Ockley loam, 2 to 6 percent slopes, eroded-----	1,250	0.5
OmA	Ormas loamy sand, 0 to 2 percent slopes-----	620	0.2
OmB	Ormas loamy sand, 2 to 6 percent slopes-----	960	0.4
OmC	Ormas loamy sand, 6 to 15 percent slopes-----	330	0.1
Or	Orthents, loamy-----	800	0.3
Pa	Palms muck, undrained-----	410	0.2
Pm	Palms muck, drained-----	550	0.2
Pp	Palms variant muck, drained-----	150	*
Pt	Pella silty clay loam-----	1,050	0.4
Pw	Pewamo silty clay loam-----	14,100	5.2
Px	Pits, gravel-----	210	*
Pz	Pits, quarry-----	50	*
RaA	Randolph silt loam, 0 to 2 percent slopes-----	740	0.3
RcA	Rawson sandy loam, 0 to 2 percent slopes-----	630	0.2
RcB2	Rawson sandy loam, 2 to 6 percent slopes, eroded-----	3,640	1.4
RcC2	Rawson sandy loam, 6 to 12 percent slopes, eroded-----	430	0.2
Re	Rensselaer loam-----	7,700	2.9
RhA	Riddles loam, 0 to 2 percent slopes-----	1,500	0.6
RhB2	Riddles loam, 2 to 6 percent slopes, eroded-----	4,150	1.5
RhC2	Riddles loam, 6 to 12 percent slopes, eroded-----	560	0.2
RmG	Rodman gravelly loam, 25 to 50 percent slopes-----	790	0.3
Se	Sebewa loam-----	1,250	0.5
Sf	Sebewa-Milford complex-----	1,470	0.5
Sh	Shoals silt loam, occasionally flooded-----	9,600	3.6

So	Sloan silty clay loam, frequently flooded-----	5,700	2.1
W	Water-----	5,300	2.0
Wc	Wallkill silt loam-----	810	0.3
Wh	Washtenaw silt loam-----	1,450	0.5
Ws	Westland loam-----	790	0.3
Wt	Whitaker loam-----	4,350	1.6
	Total-----	269,504	100.0

\* Less than 0.1 percent.